

**AT** MICROFICHE  
REFERENCE  
LIBRARY

A project of Volunteers in Asia

Better Farming Series No. 18, Bananas

Published by:

Food and Agriculture Organization of the  
United Nations  
Via delle Terme di Caracalla  
00100 Rome  
Italy

Paper copies are \$ 1.50.

Available from:

UNIPUB  
P.O. Box 433  
Murray Hill Station  
New York, NY 10157 USA

Reproduced by permission of the Food and  
Agriculture Organization of the United Nations.

Reproduction of this microfiche document in any  
form is subject to the same restrictions as those  
of the original document.

# **bananas**



## **BETTER FARMING SERIES**

Twenty-six titles have been published in this series, designed as handbooks for a two-year intermediate level agricultural education and training course. They may be purchased as a set or as individual documents.

### **FIRST YEAR**

1. The plant: the living plant; the root
2. The plant: the stem; the buds; the leaves
3. The plant: the flower
4. The soil: how the soil is made up
5. The soil: how to conserve the soil
6. The soil: how to improve the soil
7. Crop farming
8. Animal husbandry: feeding and care of animals
9. Animal husbandry: animal diseases; how animals reproduce

### **SECOND YEAR**

10. The farm business survey
11. Cattle breeding
12. Sheep and goat breeding
13. Keeping chickens
14. Farming with animal power
15. Cereals
16. Roots and tubers
17. Groundnuts
18. Bananas
19. Market gardening
20. Upland rice
21. Wet paddy or swamp rice
22. Cocoa
23. Coffee
24. The oil palm
25. The rubber tree
26. The modern farm business

# **Bananas**

**Published by arrangement with the  
Institut africain pour le développement économique et social  
B.P. 8008, Abidjan, Côte d'Ivoire**

**FOOD AND AGRICULTURE ORGANIZATION OF THE UNITED NATIONS**

**Rome 1977**

First printing 1977

ISBN 92-5-100149-9

©French edition, Institut africain pour  
le développement économique et social (INADES) 1971

©English edition, FAO 1977

## PREFACE


---

This manual is a translation and adaptation of "Le bananier," published by the Agri-Service-Afrique of the Institut africain pour le développement économique et social (INADES), and forms part of a series of 26 booklets. Grateful acknowledgement is made to the publishers for making available this text, which it is hoped will find widespread use at the intermediate level of agricultural education and training in English-speaking countries.

The original texts were prepared for an African environment and this is naturally reflected in the English version. However, it is expected that many of the manuals of the series – a list of which will be found on the inside front cover – will also be of value for training in many other parts of the world. Adaptations can be made to the text where necessary owing to different climatic and ecological conditions.

Applications for permission to issue this manual in other languages are welcomed. Such applications should be addressed to: Director, Publications Division, Food and Agriculture Organization of the United Nations, Via delle Terme di Caracalla, 00100 Rome, Italy.

The author of this English version is Mr. A.J. Henderson, former Chief of the FAO Editorial Branch.



# OUTLINE OF COURSE

---

● Why bananas are grown . . . . .	2
● Where bananas are grown . . . . .	3
● Description of the banana plant . . . . .	4
Underground stem and roots . . . . .	4
Apparent trunk . . . . .	4
Leaves . . . . .	5
Flowers . . . . .	5
Fruit . . . . .	7
● How to grow bananas . . . . .	8
Preparing the ground and making the plantation . . . . .	9
Preparing the soil . . . . .	9
Digging the planting holes . . . . .	10
Planting the suckers . . . . .	11
● Looking after the plantation . . . . .	12
Keeping the soil clean . . . . .	12
Applying fertilizers . . . . .	13
Pruning . . . . .	14
Supporting the plant . . . . .	15
Looking after the fruit . . . . .	15
Protection against insects and diseases . . . . .	16
● Harvesting and use of bananas . . . . .	19
Harvesting . . . . .	19
Output of a plantation . . . . .	19
Use of bananas . . . . .	19
Running a commercial banana plantation . . . . .	23
● Suggested question paper . . . . .	27



## **Why bananas are grown**

The banana plant is grown for its fruit.

### **Bananas to be eaten raw**

are grown in **commercial plantations**, chiefly for export.

These bananas are soft, sweet, and not very mealy.

Two main kinds are planted:

- Varieties of the so-called Chinese banana, or Canary banana, such as Lacatan (chiefly in Jamaica), Poyo, Big Dwarf, Little Dwarf.
- Varieties of the fig banana, such as Gros Michel.

Around houses you often see another variety which produces very small bananas called "sweet figs."

The kind of banana called **plantain**

is grown as a **food crop** in forest regions.

Its fruits are very large, not sweet and very mealy.

They are cooked for eating.

There are two main types of plantains:

- French plantains, with heavy bunches containing many fruits;
- horn plantains, with very big fruits, few in number, shaped like a horn.

## **Where bananas are grown**

The banana needs

heat,  
humid air,  
plenty of water,  
light

It dislikes wind.

It likes soils rich in organic matter.

It likes soils that drain quickly.

Once picked, bananas

should not be left long in the plantation.

Banana plants are planted along roads, tracks,  
railway lines or lagoons

so that the fruits can be quickly moved away.

In the world as a whole,

Central and South America produce most bananas –  
nearly 20 million tons a year.

Asia produces 10.2 million tons  
and Africa 4.2 million tons.

In Africa, the chief producers of bananas are:

Angola	320 000 tons
Madagascar	280 000 tons
Ivory Coast	230 000 tons
Central African Empire	170 000 tons
Somalia	140 000 tons
Cameroon	90 000 tons
Guinea	90 000 tons


The above figures (for 1974) are from  
the **FAO Production yearbook 1974**.

The production of plantains  
is often not counted.

## Description of the banana plant

The banana plant  
is not a tree.


It is a giant  
herbaceous plant  
with an apparent trunk  
that bends without breaking  
(see Booklet No. 2, page 10).



The banana has an underground stem  
with adventitious roots  
(see Booklet No. 1, page 25).  
It is full of food for the plant.


Alongside the main stem,  
it has other stems called suckers.  
These stems grow into banana plants.

The banana plant produces its fruit and dies.  
Another sucker replaces it.



An underground stem  
with suckers

**The banana plant has large leaves**  
closely rolled up one over the other.  
Together they look like a trunk,  
but they form only an **apparent trunk**.



**Banana leaf**

Inside it there is a **bud**  
which produces leaves.  
**After 7 or 8 months,**  
when some 30 leaves have grown,  
**the bud produces flowers.**




The flowers of the banana plant  
form a large **spike**  
(see Booklet No. 3, page 6).  
It turns downward, to the soil and opens.  
It bears **male and female flowers.**


The spike comes out  
of the apparent trunk  
and turns to the ground.

You can see:

- **the female flowers**  
pressed closely together  
in the shape of hands.



- **a red bud** |  
at the end of the spike  
containing **the male flowers**;  
the male flowers die quickly  
and the bud slowly becomes smaller.



The banana plant yields **fruits**.

These fruits are long in shape,  
with yellow or green skin.

The spike produces many bananas.

The bananas on one spike  
are called a bunch.

On this bunch,

the bananas are clustered in several hands.

**The flesh of a banana**

is light in colour, sweet and soft.


In the middle of the fruit

you can see **little black specks**;

these are the **seeds**,

but they will not germinate

(see Booklet No. 1, page 8).



**Section of a banana**

# HOW TO GROW BANANAS

---

A banana plantation may last a long time.  
But if you want good harvests,  
if you want to till the soil well,  
you must dig up the plantation  
after 7 to 10 years.

When you have dug up the banana plants,  
let the ground lie fallow for 2 years.  
Plant a legume  
such as *Calopogonium*, *Pueraria* or *Stylosanthes*.

After 2 years,  
dig in the legumes as green manure  
(see Booklet No. 6, page 8).

You can then plant bananas again.

In Ivory Coast, in commercial plantations,  
bananas are dug up  
after cutting three bunches of fruit on each plant.  
The replanting is done immediately.

Traditional plantations are short-lived,  
for instance, 5 years in Cameroon,  
2 to 4 years in equatorial Africa and Zaire.

In these plantations  
other food crops are grown along with the bananas,  
such as tania in southern Cameroon.

In Zaire attempts have been made  
to grow banana plants and rubber trees together,  
and bananas and oil palm.

Rubber trees and oil palms do not come into production quickly.  
Between the rows of these trees,  
bananas are planted;  
they do produce a crop quickly  
and the planter earns some money  
while he is waiting to harvest latex and fruit clusters.

When you make a cocoa plantation,  
plant a banana sucker  
beside each cocoa tree.  
The banana will provide shade  
for the young cocoa tree.

## **Preparing the ground and making the plantation**

For a good plantation, you must:

- prepare the soil well,
- make planting holes in rows,
- do the planting well.

### **PREPARING THE SOIL**

Clear the ground, cut up the trees, stack them and burn them.

Some ground is too wet;  
the water prevents the roots from developing.

**Soil like this must be drained  
to get rid of the water**  
(see Booklet No. 6, page 20).

Make ditches every 15 metres  
in the direction of the slope.

Dig a big central ditch  
that will carry away all the water.

Make ditches on each side of the plantation.

Push pieces of wood into the ground, in rows,  
to mark the spots  
where a banana plant is to be grown.

The distance between the banana plants varies  
with the variety  
and the method of growing them.

Plantations that are replanted every 3 or 4 years  
are planted closely.

Plantations that are replanted every 10 years  
are planted at a lower density  
(see Booklet No. 1, page 26).



**For example:**

In southern Ivory Coast,

Poyo bananas are planted 2 metres apart  
in rows that are 2 metres apart.

This gives about 2 500 banana plants  
to the hectare.

In Cameroon

Gros Michei bananas are planted 2.85 metres apart  
in rows 2.85 metres apart.

In plantations

where bananas are grown with other crops,  
bananas may be planted 5 metres apart  
in rows 5 metres apart.


### DIGGING THE PLANTING HOLES

One or two months before planting,  
make a hole at the places  
where the pieces of wood were stuck in the ground.

Make the holes 60 centimetres deep,  
60 centimetres wide and 60 centimetres long.

Put the soil from the top on one side  
and the soil from the bottom on the other side.

Fill the holes with compost and manure  
(see Booklet No. 6, pages 5 - 7).



Bananas dislike wind.

To shelter them, plant bamboos  
on the edges of the plantation.

These bamboos will also provide stakes  
for the bananas (see page 15).

## PLANTING THE SUCKERS

For planting, use suckers (see page 4).

Take them from banana plants  
that are between 3 and 6 years old.

These suckers should be  
between 50 centimetres and 1 metre high  
and broad at the base.

Let them dry in the shade for 3 or 4 days  
before planting them.

Just before planting them,  
trim them at a point 50 centimetres  
from the base of the plant  
and dip them in water  
in which potassium permanganate is mixed.

Plant at the end of the dry season,  
so that roots grow  
before the rainy season begins,  
and the suckers do not rot.

Two months earlier,  
you made the planting holes.  
You separated the soil at the bottom  
from the soil at the top.  
You put compost in the holes.

At planting time,  
take the compost out of the holes.  
Put the soil from the top  
into the bottom of the hole,  
place the sucker in the earth.  
The base of the sucker is now 10 centimetres  
from the surface of the ground.  
Put compost round the young plant.  
Put the bottom soil on the ground surface.

## **LOOKING AFTER THE PLANTATION**

For a fine plantation, you must:

- keep the soil clean;
- apply fertilizers;
- prune the plants;
- prevent the plants from falling;
- look after the fruit;
- protect the plants from diseases and insects.

### **Keeping the soil clean**

The grass grows a lot  
when the banana plant is small.

When the banana has grown up,  
the grass dies, because it has no light.

There is no need to sow a cover plant.

If the grass does not die, apply Gramoxone.

Mix 0.4 litres of the product  
with 400 litres of water to treat one hectare.

Add a spreader to the mixture  
to make it stick to the grass better.

You can put down a mulch (see Booklet No.5, page 18)  
of dry grass and leaves  
at the end of the rainy season.

This vegetation will rot, and make humus;  
it will help to keep the soil moist during the dry season.

In low-lying ground there is too much water.

It must be drained (see page 9).

In other places, the bananas do not get enough water.

So you must give the bananas water by irrigating them  
(see Booklet No. 6, pages 18-19).

Look for a stream where there is water all the year.

Dig ditches between the rows of bananas.

Lead the water from the stream with dams and ditches,  
so that the soil of the plantation is always moist.

## Applying fertilizers

You added **organic matter** in the form of the compost that you put into the planting holes.

The leaves and stalks cut from banana plants rot on the soil and add more organic matter.

But the plantation still needs **mineral salts** (see Booklet No. 1, page 19).

Bananas like **potassium** (see Booklet No. 6, page 11).

You can give a banana plant each year the following:

- **Nitrogen** (see Booklet No. 6, page 10)  
750 grammes of ammonium sulphate or 300 grammes of urea.
- **Phosphorus** (see Booklet No. 6, page 10)  
300 grammes of dicalcium phosphate or 500 grammes of Thomas slag (Bessemer basic slag).
- **Potassium** (see Booklet No. 6, page 11)  
600 grammes of potassium chloride.

Give also 500 grammes of dolomitic limestone per plant once a year, in one application.

The nitrogen and the potassium are given in several applications (four or five times).

The phosphorus and the lime are applied at the end of the dry season or at the end of the rainy season.

The fertilizer will not be washed away by the rain.

If the banana plants are irrigated, fertilizer may be given during the dry season.

Instead of applying several different fertilizers, you can use one **compound fertilizer** (see Booklet No. 6, page 11).

For young plants you can give 1.5 kilogrammes of 10-10-20 fertilizer per plant per year, in several applications.

For bananas in production, you can give 1.5 kilogrammes of 5-12-24 fertilizer per plant per year, in several applications.

In addition, give 500 grammes of dolomitic limestone in one application per plant per year.

## Pruning

**Pruning banana plants** is called **suckering**.  
There are several ways of doing this.

We shall deal with only one way.

The **offshoot** that you planted is called the **parent plant**.

Four months after planting,  
cut away all the suckers that have sprouted  
except one.

Cut the suckers off at ground level  
or below the surface of the ground.

Keep the best sucker,  
the one that is best placed.


The plantation is laid out in rows,  
so that if the suckers are in the same line,  
the plantation rows are unchanged.

Four months after this first suckering,  
the parent plant is 8 months old  
and the one remaining sucker is 4 months old.  
Once again, cut off all the other suckers  
except one.

About 10 months after planting  
(taking Poyo bananas  
as an example),  
the parent plant  
produces fruits.

Harvest these fruits,  
and cut down  
the parent plant.  
The first generation sucker  
is now 6 months old  
and the second generation  
is 2 months old.

You can use a machete or axe  
to cut out the suckers  
you do not want to keep.




**Underground stem of banana**

## Supporting the plant

The fruit of banana plants is very heavy.  
The plant bends under the weight,  
and the wind may blow it down.  
You must prevent it from falling.

To do this, cut thick bamboos about 3 metres long.  
Make a hole at one end of each bamboo.

Tie two bamboos together  
with a piece of wire  
40 centimetres long.



Put the bamboos in place,  
as shown in the drawing,  
when the flowers have appeared  
and turned down to the earth.

The bamboos hold up  
the banana plant.

It rests on the wire  
between the two bamboos.

## Looking after the fruit

When the plant has flowered,  
the male flower bud is a long way  
from the lowest hand of female flowers.

Twist the bud to break it off,  
and cut off the lowest hand of the bunch.

Cover the whole bunch with plastic  
when the hands turn upward.

See that there are holes in the plastic  
so that the bunch can breathe.


The plastic protects the bunch from sun and rain  
and from sprays for leaf spot disease (see page 17).

If you do not cover the bunch with plastic,  
the bananas will get black patches  
and will not be fit to sell.

## Protection against insects and diseases

The banana is attacked  
by many insects and diseases.

- **Banana weevil**



**Weevil**

This insect  
makes holes in the base of the banana plant  
and lays its eggs in these holes.

The eggs turn into little weevils.

They eat out the heart of the banana plant.

You do not see the weevils,

but if the fruit bunch does not develop,  
or if the bunch is small and badly shaped,  
there may be weevils.

To find out if there are weevils in the plantation,  
cut pieces of the plant's apparent trunk lengthwise.

Put two pieces on the ground near each plant.

Look every day at these pieces.

If there are weevils in the plantation,  
they will hide under the pieces of "trunk."

To control the weevils, use BHC.

Put 25 to 30 grammes of BHC round each plant.

- **Banana eelworm or nematode**

These are tiny worms  
that are found in the soil.

They eat the roots,  
and once the banana has no roots,  
it cannot feed,  
and may be blown over by the wind.

Make sure the bananas have no eelworms  
when they are planted.

Before planting,  
dip the suckers in lukewarm water,  
or in water mixed with Némagon.

If there are eelworms in the plantation,  
put Némagon in the soil.

- **Other pests**

There are other pests that attack bananas  
such as **thrips, aphids, scale insects**, etc.  
They are controlled with BHC, Aldrin or Dieldrin.

- **Panama disease**

This disease is caused  
by a tiny fungus in the soil.

It makes the leaves break.

If you cut the banana plant,  
the apparent trunk is coloured brownish red.

To control the disease,  
plant resistant dwarf varieties  
such as Poyo or Lacatan.

These bananas are very resistant to Panama disease.

The Gros Michel variety is not resistant.

- **Leaf spot disease (see page 15)**

This disease is caused by a fungus.

The leaves show grey spots ringed with dark yellow.

The banana plant cannot breathe  
and the yield falls greatly.

The disease appears  
when the temperature is high  
and the air is very humid.

It is treated by spraying with mineral oil,  
using 12 to 20 litres per hectare.



- **Bunchy top**

This disease is carried by an aphid.  
Dark green streaks appear on the leaves.  
The leaves do not grow long and are wavy at the edges.  
Dig up the diseased banana plants.  
The aphid can be controlled with Malathion or Dieldrin.

- **"Cigar-end" rot**

The fruits go rotten.  
The disease begins at the tips of the bananas.  
To control this disease,  
cut off the last hand that does not grow  
and break off the male flower bud (see page 15).

- **Mosaic disease**

Small yellow patches appear on the leaves  
toward the midrib (see Booklet No. 2, page 14).  
You can see them easily  
by holding the leaf up to the sun.  
You can also see little holes in the leaf-stalk.  
To control the disease,  
dig up the plants and wait a long time  
before planting again in the same place.

- **False mosaic disease**

Light spots of varying colour can be seen on the leaves.  
This is not a serious disease.  
It may be caused by lack of copper in the soil.

- **Lack of zinc**

The plant's leaves do not grow very long,  
and are pale, narrow and pointed.  
The disease is cured by sprinkling on the ground  
50 grammes of zinc sulphate per plant.

- **Lack of magnesium**

The disease is cured by applying dolomitic limestone.

# **HARVESTING AND USE OF BANANAS**

---

## **Harvesting**

Bananas must not ripen on the plant.

The bunch of fruits finishes ripening  
tied to a rope, in the shade.

If the bunch ripens on the plant,  
the bananas split and become mealy.

Bunches can be kept longer if they are harvested unripe.

## **Output of a plantation**

A well-cared-for plantation  
has a big output.

The third harvest  
on any one plantation  
is the biggest of all.

From the fourth harvest,  
the output begins to go down.

The yield of a plantation  
may vary between 30 and 50 tons per hectare.

## **Use of bananas**

Bananas are a strength-giving food.

The sweet banana, eaten raw when it is ripe,  
is as rich as other raw fruits.

It contains a lot of vitamins.

It should be eaten very ripe.

Plantains, when prepared,  
give more energy than prepared cassava.

They contain  
more protein (see Booklet No. 8, page 14) than cassava,  
but less mineral salts (see Booklet No. 1, page 19).

It is better to eat plantains than cassava.

### Food crop bananas

such as plantains and certain fig bananas  
are eaten cooked.

The greener they are when harvested,  
the less sweet they are.

Large quantities of plantains are eaten  
in all the forest regions of west Africa.

Ivory Coast produces about 1 100 000 tons of plantains,  
Cameroon about 850 000 tons,  
and Gabon about 80 000 tons.

#### ● Cooked bananas

To make *foutou*, peel plantains,  
cook them in water,  
then mash them and roll them into balls.

Plantains are also eaten  
grilled over the fire,  
or fried in oil.

#### ● Dried bananas

● Bananas can be dried,  
if you cannot sell them all.  
Peel them,  
then slice them into rounds  
and dry them in the sun.  
When they are dry  
they can be made into powder or flour.

● Banana flour is made with plantains  
or with green fig bananas.  
It is eaten in forest regions.

● Banana powder is sweet.  
It is made from ripe bananas.  
Mash the bananas  
and dry the paste in the oven.  
Banana powder should be stored in metal boxes  
and kept in a dry place.

## ● Making banana beer

The bananas must be very ripe.

In the rainy season

let them finish ripening laid on a hurdle  
over the fire where the cooking is done.

During the dry season

make a pit in the ground.

On one side of it, dig a little ditch.

Cover all the sides of the pit  
with green banana leaves.

Pack the bunches of bananas in the pit.

Cover them with banana leaves and earth.

Light a fire in the ditch

and let the warmth and smoke into the pit.

Keep the fire going every day

until the bananas are quite ripe.

This takes about six days.

Then take away the leaves and earth.

Peel the bananas.

Half-fill a hollowed-out tree trunk with banana pulp.

Cover with fine grass.

Knead the pulp with a little water.

Press it and let the juice run out.

Then put the juice in a vat or earthenware jar  
with germinated millet and a little beer.

Cover the vat or the jar

with grass to act as a filter.

The beer can be drunk the next day  
through a straw or wooden tube.

This beer will not keep for very long.

Banana beer is made chiefly

in Rwanda and Burundi

with special varieties of bananas.

● **Other uses of the banana plant**

**Bananas can be given to animals to eat,  
especially to pigs.**

**The skins and the male flower buds  
can also be used as fodder.**

**Oxen like**

**the chopped-up apparent trunk and leaves  
mixed with oil cake.**

**If you leave the remains of the plants  
(such as apparent trunk, leaves, flower buds)  
on the ground of the plantation,  
they will become organic matter in the soil.**

**If you take these remains  
away from the plantation  
to give to animals,  
you will not add organic matter to the soil.  
But a banana plantation  
needs plenty of organic matter.  
So if you remove the banana plant remains,  
you must give the plantation  
dried herbage, manure or compost.**

**Banana leaves contain fibre.**

**Sacks and ropes  
are made with this fibre.**

**It is obtained chiefly  
from a variety of banana called *abaca*.**

**The fibres of *abaca* leaves  
are called "Manila hemp."**

## **Running a commercial banana plantation**

This example of a commercial banana plantation comes from near Akoupé in southern Ivory Coast:

*Every day, new flowers appear on the plants.*

*On the 5th and 20th of each month,  
the new flowers are counted.*

*They are marked  
with a little button tied on with wire.*

*Buttons of a different colour  
are used each time the flowers are counted.*

*In this way, the number of new flowers is known.*

*In about 3 months  
these new flowers will yield  
a bunch of bananas for harvesting.*

*The planter knows the number of bunches  
that will ripen  
and can arrange for transport by banana boat.*

*A banana boat comes  
about twice a week.*

*Each time a little of the harvest is sent.*

It works like this:


*Suppose the planter has ordered transport  
for 40 tons of fruit during the month.*

*Then he sees that the fruit will ripen  
before the 15th of the month.*

*He asks for transport for 25 tons  
during the first 2 weeks of the month,  
leaving 15 tons  
for the rest of the month.*

*All the plantation owners belong to a cooperative,  
COFRUCI (Compagnie fruitière de Côte d'Ivoire).  
It organizes transport in banana boats.*

*Bananas must be graded by size.  
In the plantation  
they use an instrument called a gauge  
to measure the thickness of bananas.*



**A gauge**

*Bananas are graded from 40 to 45 millimetres thickness.  
There are two grading systems,  
one with the odd numbers (41, 43 or 45 millimetres)  
and the other with the even numbers  
(40, 42 or 44 millimetres)*

*When the planter gives his orders for the shipment,  
he can state which system he wants.*


*For grading,  
three bananas in one hand are chosen  
and each is measured.*

*The thickness of the bananas on a bunch  
is related to the number of hands on the bunch.*

*If the bunch has 5 to 7 hands,  
the size of the three bananas measured  
should be 40 or 41 millimetres,  
depending on the chosen grading system.  
If the bunch has 7 to 10 hands,  
the size of each of the three bananas measured  
should be 42 or 43 millimetres.*

*If a bunch has more than 10 hands,  
the size of each of the three bananas  
should be 44 or 45 millimetres.*

*The bunches ready for harvesting  
are known by the colour of the buttons  
with which the bunches were marked 3 months earlier.  
The planter says what size fruit he wants picked.  
A worker goes through the plantation  
and counts the number of hands on each bunch  
with a button of the right colour,  
measures three bananas on each of the bunches,  
makes sure that the bunch is ready for harvesting,  
and marks the bunch for cutting.  
The bunches are cut early in the morning.  
This is done one day, at most,  
before the boat leaves.  
Men carry the bunches out of the plantation  
on a pad on their backs.  
The bunches are tied to long poles supported by trestles.  
The string used for tying  
is soaked in copper sulphate.*



**Support for bunches**

*The bunches are weighed.  
The coloured buttons are taken off the bunches.  
The buttons of one colour, let us say green,  
are then counted.  
Three months earlier, 1 600 green buttons  
were fixed to the plants in the plantation.  
Now, for example, 360 green buttons are counted.  
So the planter knows that he still has  
1 240 bunches marked green (1 600 less 360).  
These bunches marked with the green buttons  
will ripen in the course of the month.*



## **Transporting and packing bananas**

*The goods lorry arrives.  
Inside, it has pads along the sides  
to protect the bunches.  
On the floor of the lorry  
there is a thick layer of dry leaves.  
Each bunch is wrapped  
and a cover is put over each row of bunches.*

*The lorry drives to the packing station.  
There, the size of the bananas is measured again.*

*All the bunches  
which do not measure up to the required size  
are thrown out.  
Stained or rotten bunches are also rejected.*

*The bunches are cut into hands of bananas  
and these hands are cleaned and washed.*

*The hands of bananas  
are packed in cartons.  
Some countries still send out complete bunches,  
but this wastes a lot of space and weight.*

*The cartons are then taken to the banana boat.*

# **SUGGESTED QUESTION PAPER**

---

## **ANSWER THE FOLLOWING QUESTIONS**

Why are bananas grown?

The banana is not a tree, what is it?

How are the female flowers arranged?

What is the name for the fruit produced by one spike of flowers?

What is suckering?

Why do you put bamboos up against the banana plants?

Why do you wrap the bunch of bananas in plastic?

What does the banana weevil do to the banana plant?

What are the different parts of a banana plant?

How can you tell when a banana plant has mosaic disease?

When do you apply fertilizers to a banana plantation?

Read carefully what follows and reply in the words you use when speaking to a friend.

One of your friends has a banana plantation. He does not take much trouble over it. He always says that bananas look after themselves. He has heard that you have studied a course on how to grow bananas, and he comes to ask your advice, because his plantation does not produce much. What do you tell him? What do you advise him to do?

## FAO SALES AGENTS AND BOOKSELLERS

<b>Antilles, Netherlands</b>	Boekhandel St. Augustinus, Abraham de Veerstraat 12, Willemstad, Curaçao.
<b>Argentina</b>	Editorial Hemisferio Sur S.R.L., Librería Agropecuaria, Pasteur 743, Buenos Aires.
<b>Australia</b>	Hunter Publications, 58A Gipps Street, Collingwood, Vic. 3066; The Assistant Director, Sales and Distribution, Australian Government Publishing Service, P.O. Box 84, Canberra, A.C.T. 2600, and Australian Government Publications and Inquiry Centres in Canberra, Melbourne, Sydney, Perth, Adelaide and Hobart.
<b>Austria</b>	Gerold & Co., Buchhandlung und Verlag, Graben 31, 1011 Vienna.
<b>Bangladesh</b>	Agricultural Development Agencies in Bangladesh, P.O. Box 5045, Dacca 5.
<b>Barbados</b>	Cloister Bookstore Ltd., Hincks Street, Bridgetown.
<b>Belgium</b>	Service des publications de la FAO, M.J. De Lannoy, rue du Trône 112, 1050 Brussels. CCP 000-0808993-13.
<b>Bolivia</b>	Los Amigos del Libro, Perú 3712, Casilla 450, Cochabamba, Mercado 1315, La Paz; René Moreno 26, Santa Cruz; Junín esq. 6 de Octubre, Ururo.
<b>Brazil</b>	Livraria Mestre Jou, Rua Guaipá 518, São Paulo 10; Rua Senador Dantas 19-S205/206, Rio de Janeiro.
<b>Brunei</b>	MPH Distributors Sdn. Bhd., 71/77 Stamford Road, Singapore 6 (Singapore).
<b>Canada</b>	Renouf Publishing Co. Ltd., 2182 Catherine St. West, Montreal, Que. H3H 1M7.
<b>Chile</b>	Biblioteca, FAO Oficina Regional para América Latina, Av. Providencia 871, Casilla 10095, Santiago.
<b>China</b>	China National Publications Import Corporation, P.O. Box 88, Peking.
<b>Colombia</b>	Litexsa Colombiana Ltda., Calle 55, N° 16-44, Apartado Aéreo 51340, Bogotá.
<b>Costa Rica</b>	Librería, Imprenta y Litografía Lehmann S.A., Apartado 10011, San José.
<b>Cuba</b>	Instituto del Libro, Calle 19 y 10, N° 1002, Vedado.
<b>Cyprus</b>	MAM, P.O. Box 1722, Nicosia.
<b>Denmark</b>	Ejnar Munksgaard, Norregade 6, Copenhagen S.
<b>Dominican Rep.</b>	Fundación Dominicana de Desarrollo, Casa de las Gárgolas, Mercedes 4, Santo Domingo.
<b>Ecuador</b>	Su Librería Cía. Ltda., García Moreno 1172, Apartado 2556, Quito.
<b>El Salvador</b>	Librería Cultural Salvadoreña S.A., Avenida Morazán 113, Apartado Postal 2296, San Salvador.
<b>Finland</b>	Akateeminen Kirjakauppa, 1 Keskuskatu, Helsinki.
<b>France</b>	Editions A. Pedone, 13 rue Soufflot, 75005 Paris.
<b>Germany, F.R.</b>	Alexander Horn Internationale Buchhandlung, Spiegelgasse 9, Postfach 3340, Wiesbaden.
<b>Ghana</b>	Fides Enterprises, P.O. Box 1628, Accra.
<b>Greece</b>	"Eleftheroudakis", 4 Nikis Street, Athens.
<b>Guatemala</b>	Distribuciones Culturales y Técnicas "Artemis", Quinta Avenida 12-11, Zona 1, Guatemala City.
<b>Guyana</b>	Guyana National Trading Corporation Ltd., 45-47 Water Street, Georgetown.
<b>Haiti</b>	Max Bouchereau, Librairie "A la Caravelle", B.P. 1118, Port-au-Prince.
<b>Honduras</b>	Editorial Nuevo Continente S. de R.L., Avenida Cervantes 1230-A, Apartado Postal 380, Tegucigalpa.
<b>Hong Kong</b>	Swindon Book Co., 13-15 Lock Road, Kowloon.
<b>Iceland</b>	Snaebjörn Jónsson and Co. h.f., Hafnarstraeti 9, P.O. Box 1131, Reykjavik.
<b>India</b>	Oxford Book and Stationery Co., Scindia House, New Delhi; 17 Park Street, Calcutta.
<b>Indonesia</b>	P.T. Gunung Agung, 6 Kwitang, Djakarta.
<b>Iran</b>	Iran Book Co. Ltd., 127 Najersah Avenue, P.O. Box 14-1532, Tehran; Economist Tehran, 99 Sevom Esfand Avenue, Tehran (sub-agent).
<b>Iraq</b>	National House for Publishing, Distributing and Advertising, Rashid Street, Baghdad.
<b>Ireland</b>	The Controller, Stationery Office, Dublin.
<b>Israel</b>	Emanuel Brown, P.O. Box 4101, 35 Allenby Road and Nachlat Benyamin Street, Tel Aviv; 9 Shlomzion Hamalka Street, Jerusalem.
<b>Italy</b>	Distribution and Sales Section, Food and Agriculture Organization of the United Nations, Via delle Terme di Caracalla, 00100 Rome; Libreria Scientifica Dott. L. De Blasio "Aeiou", Via Meravigli 16, 20123 Milan; Libreria Commissionaria Sansoni "Licosa", Via Lamarmora 45, C.P. 552, 50121 Florence.
<b>Jamaica</b>	Teachers Book Centre Ltd., 96 Church Street, Kingston.
<b>Japan</b>	Maruzen Company Ltd., P.O. Box 5050, Tokyo Central 170-31.
<b>Kenya</b>	Text Book Centre Ltd., P.O. Box 47540, Nairobi.
<b>Korea, Rep. of</b>	The Eul-Yoo Publishing Co. Ltd., 5 2-Ka, Chong-ro, Seoul.

## FAO SALES AGENTS AND BOOKSELLERS

<b>Kuwait</b>	Saeed & Samir Bookstore Co. Ltd., P.O. Box 5445, Kuwait.
<b>Lebanon</b>	Dar Al-Maaref Liban S.A.L., place Riad El-Solh, B.P. 2320, Beirut.
<b>Luxembourg</b>	Service des publications de la FAO, M.J. De Lannoy, rue du Trône 112, 1050 Brussels (Belgium).
<b>Malaysia</b>	MPH Distributors Sdn. Bhd., 9A Jalan 14/20, Section 14, Petaling Jaya.
<b>Mauritius</b>	Nalanda Company Limited, 30 Bourbon Street, Port Louis.
<b>Mexico</b>	Dilitsa, Puebla 182-D, Apartado 24-448, Mexico City 7, D.F.
<b>Morocco</b>	Librairie « Aux Belles Images », 281 avenue Mohammed V, Rabat.
<b>Netherlands</b>	N.V. Martinus Nijhoff, Lange Voorhout 9, The Hague.
<b>New Zealand</b>	Government Printing Office: Government Bookshops at Rutland Street, P.O. Box 5344, Auckland; Mulgrave Street, Private Bag, Wellington, 130 Oxford Terrace, P.O. Box 1721, Christchurch; Princes Street, P.O. Box 1104, Dunedin; Alma Street, P.O. Box 857, Hamilton.
<b>Nicaragua</b>	Incusa-Culturama, Camino de Oriente, Apartado C105, Managua.
<b>Nigeria</b>	University Bookshop (Nigeria) Ltd., University of Ibadan, Ibadan.
<b>Norway</b>	Johan Grundt Tanum Bokhandel, Karl Johansgt. GT 41-43, Oslo 1.
<b>Pakistan</b>	Mirza Book Agency, 65 The Mall, Lahore 3.
<b>Panama</b>	Distribuidora Lewis S.A., Edificio Dorasol, Calle 25 y Avenida Balboa, Apartado 1634, Panama 1.
<b>Peru</b>	Libreria Distribuidora Santa Rosa, Jirón Apurimac 375, Lima.
<b>Philippines</b>	The Modern Book Company, 328 Rizal Avenue, Manila.
<b>Poland</b>	Ars Polona-Ruch, Krakowskie Przedmiescie 7, Warsaw.
<b>Portugal</b>	Livraria Bertrand, S.A.R.L., Apartado 37, Amadora; Livraria Portugal, Dias y Andrade Ltda., Apartado 2681, Rua do Carmo 70-74, Lisbon-2; Edicoes ITAU, Avda. República 46A c/v-E, Lisbon-1.
<b>Romania</b>	Ilexim, Calea Grivitei N° 64-66, B.P. 2001, Bucarest.
<b>Saudi Arabia</b>	University Bookshop, Airport Road, P.O. Box 394, Riyadh.
<b>Senegal</b>	Librairie Africa, 58 Av Georges Pompidou, B.P. 1240, Dakar.
<b>Singapore</b>	MPH Distributors Sdn Bhd., 71/77 Stamford Road, Singapore 6.
<b>Somalia</b>	« Samater's », P.O. Box 936, Mogadishu.
<b>Spain</b>	Mundi Prensa Libros S.A., Castelló 37, Madrid 1; Libreria Agricola, Fernando VI 2, Madrid 4.
<b>Sri Lanka</b>	M.D. Gunasena and Co. Ltd., 217 Norris Road, Colombo 11.
<b>Switzerland</b>	Librairie Payot S.A., Lausanne et Genève; Buchhandlung und Antiquariat, Heinemann & Co., Kirchgasse 17, 8001 Zurich.
<b>Surinam</b>	VACO nv in Surinam, P.O. Box 1841, Domineenstraat 26/32, Paramaribo.
<b>Sweden</b>	C.E. Fritzes Kungl. Hovbokhandel, Fredsgatan 2, 103 27 Stockholm 16.
<b>Tanzania</b>	Dar es Salaam Bookshop, P.O. Box 9030, Dar es Salaam.
<b>Thailand</b>	Suksapan Panit, Mansion 9, Rajadamnern Avenue, Bangkok.
<b>Togo</b>	Librairie du Bon Pasteur, B.P. 1164, Lomé.
<b>Trinidad and Tobago</b>	The Book Shop, 111 Frederik Street, Port of Spain.
<b>Turkey</b>	Güven Bookstores, Güven Bldg., P.O. Box 145, Müdafaa Cad. 12/5, Kizilay-Ankara; Güven Ari Bookstores, Ankara Cad. No. 11, Cağaloglu-Istanbul; Güven Bookstore, S.S.K. Konak Tesisleri P-18, Konak-Izmir.
<b>United Kingdom</b>	Her Majesty's Stationery Office, 49 High Holborn, London WC1V 6HB (callers only); P.O. Box 569, London SE1 9NH (trade and London area mail orders); 13a Castle Street, Edinburgh EH2 3AR; 41 The Hayes, Cardiff CF1 1JW; 80 Chichester Street, Belfast BT1 4JY; Brazenose Street, Manchester M60 8AS; 258 Broad Street, Birmingham B1 2HE; Southey House, Wine Street, Bristol BS1 2BQ.
<b>United States of America</b>	UNIPUB, 345 Park Avenue South, New York, N.Y. 10010; mailing address: P.O. Box 433, Murray Hill Station, New York, N.Y. 10016.
<b>Uruguay</b>	Juan Angel Peri, Alzaibar 1320, Casilla de Correos 1755, Montevideo.
<b>Venezuela</b>	Blume Distribuidora S.A., Av. Rómulo Gallegos esq. 2a. Avenida, Centro Residencial « Los Almendros », Torre 3, Mezzanina, Ofc. 6, Urbanización Montecristo, Caracas.
<b>Yugoslavia</b>	Jugoslovenska Knjiga, Terazije 27/11, Belgrade; Cankarjeva Založba, P.O. Box 201-IV, Ljubljana; Prosveta Terazije 16, P.O. Box 555, 11001 Belgrade.
<b>Other countries</b>	Requests from countries where sales agents have not yet been appointed may be sent to: Distribution and Sales Section, Food and Agriculture Organization of the United Nations, Via delle Terme di Caracalla, 00100 Rome, Italy.